

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20020070729",	US-PGPUB; USPAT	OR	OFF	2006/11/18 13:10
S2	29	"4058765"	US-PGPUB; USPAT	OR	OFF	2007/05/17 11:24
S4	63	S3 and "324"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 11:26
S5	15	(differential adj2 amplifier) same (capacit\$6 near3 sensor) same displacement	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 11:27
S3	232	(differential adj2 amplifier) same (capacit\$6 near3 sensor)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 11:33
S6	28	(differential adj2 amplifier) same (capacit\$6 near3 sensor) same oscillator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 12:02
S8	332	324/661.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 12:03
S9	571	324/662.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 12:03
S11	1895	S7 S8 S9 S10	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 12:04
S14	0	fingerprint near2 sensor with capacit\$6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 12:58
S15	0	finger near2 sensor with capacit\$6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 12:58
S17	75	"382"/\$.ccls. and capacit\$6 same differential near2 amplifier	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 13:01
S18	6	"382"/\$.ccls. and capacit\$6 same differential near2 amplifier same (plate electrode)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 13:02
S12	56	S11 and (voltage near2 gain)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 13:05
S13	1	S11 and (voltage near2 gain) with (differential adj amplifier)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 13:05

EAST Search History

S19	8	S11 and (voltage near2 gain) with control	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 13:05
S20	10	S11 and (voltage near2 gain) with control\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 13:06
S16	792	finger near5 sensor with capacit\$6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 13:24
S22	26	S21 and "324"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 13:25
S21	375	output with (differential near2 amplifier) with frequency with input same capacit\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 13:27
S23	62	output with (differential near2 amplifier) with frequency with input same capacit\$5 same (plate electrode)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/17 16:12
L1	343	324/671.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/23 13:16
S7	588	324/658.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/23 13:16
L2	99	324/672.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/23 13:17
L3	1	"20050231214"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/23 13:17
S10	582	324/663.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/23 15:05
L4	0	((capacit\$6 near2 sensor) and (high adj frequency) and (voltage near2 gain) and (different\$4)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/23 15:08
L5	1	((capacit\$6 near2 sensor) and (high adj frequency) and (voltage near2 gain) and (different\$8)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/23 15:09
L6	3	((capacit\$6 near2 sensor) and (high adj frequency) and (voltage near2 gain)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/23 15:11
L7	1	((capacit\$6 near2 sensor) and (high adj frequency) and (amplifier) and (voltage near2 gain)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/23 15:12

EAST Search History

L8	7	((capacit\$6 near2 sensor) and (high adj frequency) and (amplifier) and displacement).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/23 15:16
L9	7	((capacit\$6 near2 sensor) and (high near2 frequency) and (amplifier) and displacement).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/23 15:18
L10	540	((capacit\$6) and (plate electrode) and (high near2 frequency) and (amplifier)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/23 15:19
L11	210	((capacit\$6) and (plate electrode) and (high near2 frequency) and (amplifier) and (different\$7)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/23 15:20
L12	21	11 and "324"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/05/23 15:20